

Tools for the Road

Tool Boxes • Cab Racks • Droms • Fenders



Class 8 Truck Accessories 2012/2013

Made in America.

STANDARD BOX CONFIGURATIONS

Steel and Aluminum Styles

STANDARD SIZES	ALUMINUM BOX	STEEL BOX
18"H x 18"D x 18"L - <i>Single Door</i>	20-2068	22-2018B
18"H x 18"D x 24"L - <i>Single Door</i>	20-2070	22-2028B
18"H x 18"D x 30"L - <i>Single Door</i>	20-2073	22-2029B
18"H x 18"D x 36"L - <i>Single Door</i>	20-2170	22-2128B
18"H x 18"D x 36"L - <i>Double Door</i>	20-2175*	22-2138*
18"H x 18"D x 48"L - <i>Single Door</i>	20-2270	22-2228B
18"H x 18"D x 48"L - <i>Double Door</i>	20-2275*	22-2238*
18"H x 18"D x 60"L - <i>Single Door</i>	20-2370	22-2328B
18"H x 18"D x 60"L - <i>Double Door</i>	20-2375*	22-2338*
18"H x 18"D x 72"L - <i>Single Door</i>	20-2670	22-2330B
18"H x 18"D x 72"L - <i>Double Door</i>	20-2675*	22-2348*
18"H x 24"D x 24"L - <i>Single Door</i>	20-2090	22-2050B
18"H x 24"D x 30"L - <i>Single Door</i>	20-2093	22-2053B
18"H x 24"D x 36"L - <i>Single Door</i>	20-2190	22-2150B
18"H x 24"D x 36"L - <i>Double Door</i>	20-2195*	22-2155*
18"H x 24"D x 48"L - <i>Single Door</i>	20-2290	22-2250B
18"H x 24"D x 48"L - <i>Double Door</i>	20-2295*	22-2255*
18"H x 24"D x 60"L - <i>Single Door</i>	20-2390	22-2350B
18"H x 24"D x 60"L - <i>Double Door</i>	20-2395*	22-2355*
18"H x 24"D x 72"L - <i>Single Door</i>	20-2690	22-2358B
18"H x 24"D x 72"L - <i>Double Door</i>	20-2695*	22-2358*
24"H x 24"D x 24"L - <i>Single Door</i>	20-2004	22-2032B
24"H x 24"D x 30"L - <i>Single Door</i>	20-2005	22-2033B
24"H x 24"D x 36"L - <i>Single Door</i>	20-2104	22-2132B
24"H x 24"D x 36"L - <i>Double Door</i>	20-2114*	22-2135*
24"H x 24"D x 48"L - <i>Single Door</i>	20-2204	22-2232B
24"H x 24"D x 48"L - <i>Double Door</i>	20-2214*	22-2235*
24"H x 24"D x 60"L - <i>Single Door</i>	20-2304	22-2332B
24"H x 24"D x 60"L - <i>Double Door</i>	20-2314*	22-2335*
24"H x 24"D x 72"L - <i>Single Door</i>	20-2604	22-2342B
24"H x 24"D x 72"L - <i>Double Door</i>	20-2614*	22-2345*

ALL STANDARD BOX DIMENSIONS SHOWN IN THIS BROCHURE ARE LISTED IN THIS ORDER: **HEIGHT x DEPTH x LENGTH.**

* On Double Swing Door Boxes, specify *left-hand* (driver side) or *right-hand* (passenger side).

ALUMINUM TOOL BOXES

- 18"H. x 18"D. x Length
Single door boxes come standard with lanyards.
- 18"H. x 24"D. x Length
- 24"H. x 24"D. x Length
- Standard Lengths:
18", 24", 30", 36", 48", 60", 72"

Any Aluminum Pro-Tech box may be ordered with the diamond plate doors. Just add "D" to the back of the part number.

Double swing doors are available on any 36" or longer box.



TOOL BOX MOUNTING BRACKETS

- 20-9700 for 24" deep boxes
- 20-9710 for 18" deep boxes

Coated steel construction.
Designed for frame mounting of boxes.



STEEL TOOL BOXES

- 18"H. x 18"D. x Length
- 18"H. x 24"D. x Length
- 24"H. x 24"D. x Length
- Standard Lengths:
18", 24", 30", 36", 48", 60", 72"

Steel tool boxes are manufactured with a black powder coat finish.

Double swing doors are available on any 36" or longer box.

Single door steel boxes come standard with lanyards.

Now available in white powder coat finish.



CONVENIENT STORAGE OPTIONS

20-2450
20-2460
20-2470
20-2480
20-2490



ALUMINUM STEP BOXES

20-2450	25"H x 28"D x 12"L	20-2480	25"H x 28"D x 30"L
20-2460	25"H x 28"D x 18"L	20-2490	25"H x 28"D x 36"L
20-2470	25"H x 28"D x 24"L		

Pro-Tech aluminum step boxes provide storage space in conjunction with a frame step. Step boxes have smooth aluminum bodies and aluminum diamond plate doors. Bulb type seals and stainless steel keyed T-latches are standard. Step boxes come as complete units with top platform and steps installed. 12", 18" and 24" boxes come with built-in mounting brackets. External mounting brackets are required on 30" and larger boxes. Custom sizes are also available! Boxes may be ordered without steps. Also available with smooth polished doors, just add "S" to the back of the part number.



20-2911-24
20-2911-31

CAB ENTRY BOXES

20-2911-24 15"H x 30"D x 24"L
20-2911-31 15"H x 30"D x 31"L

20-9751 Angle Mount

Bulb-sealed, weather resistant box with stainless t-lock. Replaceable front step assembly.



20-2959

ALUMINUM BATTERY BOX

20-2959 Battery Box with step, 15"H x 30"D x 30"L
20-2953 Battery Box only, 15"H x 22"D x 30"L
20-5213 Top Step
20-5215 Bottom Step

Also available with:

20-5217 Lowered Step
20-9753 Angle Mount Kit for Battery Box
20-9953 J-mounting Kit (for Batteries only)



20-2647 - 8"D
20-2649 - 10"D

INFRAME TOOL BOXES

20-2647 8"D
20-2649 10"D

24"W x 22"L. Overall dimensions: 30"W x 22"L
Includes mounting clips and bolts to clamp box to truck frame. 8" to 10" deep.

CONVENIENT STORAGE OPTIONS



15" X 15" ALUMINUM or STEEL TOOL BOXES

- 15" x 15" x 18", 24" or 30" long

Single drop down door, available in aluminum or steel.



20-2410



20-2401

SLOPE-LID ALUMINUM TOOL BOXES

20-2410 19"H x 20"D x 30"L

20-2401 19"H x 25"D x 24"L (Designed to mount between cab rack feet)

20-2412 24"H x 24"D x 24"L

Smooth body, diamond plate lid.

20-9741 Mounting Kit for 20-2401 box




22-2432

HASP-TYPE STEEL TOOL BOXES

22-2432 18"H x 18"D x 24"L

Top open lid, hasp-type latch, flat top.



DRAWER MODULES

- Fits 18" x 18" x 24" or 30" boxes

Heavy duty drawer slides, all aluminum construction. Comes standard with two 3" drawers and one 4 1/4" drawer. Stack 'em up and combine them for longer box sizes!

TN: 800.525.7998
WA: 800.443.6153



CAB RACKS



STANDARD CAB RACKS


10-1003	65"H x 70"W
10-1033	68"H x 70"W
10-1083	68"H x 80"W
10-1093	68"H x 86"W
10-1103	68"H x 90"W



DELUXE CAB RACKS

DX3	Standard Cab Rack with 2 chain hangers and full chain tray
DX4	Standard Cab Rack with 2 chain hangers and 2 chain trays

Available on any Standard Cab Rack.
(10-1093-DX3 shown with 10-4425 optional Stop/Tail/Turn Lights)



MOUNTING KIT

10-9401	with 19" bolts
10-9402	with 22" bolts

For mounting Pro-Tech Cab Racks and Enclosures



10-1003-5000 CAB RACK

65"H x 70"W Cab Rack with standard window option.
Window can be ordered on any Cab Rack or Drom.

Space: When ordering a window installed at a specific height, please measure from top of the truck frame to middle of the window. Part number 10-5005.



10-1003-592 65"H x 70"W
Cab rack includes: 10-5000 window, 2 each of 10-5903 locking chain hangers, 10-3800 chain trays and 20-2401 tool box. Other options may be added to fit your needs.



10-4400
10-4420
10-9000



10-4450
10-4425
10-9000

LIGHTS/BRACKETS

- 10-4400 Round sealed beam load light
- 10-4420 Oval sealed beam stop/tail/turn lights
- 10-9000 Load light bracket (Note: load light NOT included)
- 10-4450 Beacon Light Bracket
- 10-4425 Round sealed beam stop/tail/turn lights




CHAIN TRAYS

Chain trays available in standard 8", 9" and 12" depth, in widths to fit any applications. May be shipped loose for retrofit applications or installed on new cab racks.



LOCKING CHAIN HANGER

10-5903
Up to 14 positions available



J-HOOK MOUNTING KIT

10-9407 For mounting Pro-Tech Cab Racks and Enclosures. Used for limited space.



CAB RACK WITH LOCKING CHAIN HANGER AND RECESSED CHAIN TRAY

Base cab rack shown with options

- 10-3315 Recessed chain tray fills space between uprights and below cab rack. Holds chains and increases trailer swing clearance.
- 10-5903 Locking chain hanger to secure chains and binders (Chains and binders not included)

Shown on a **Space Saver Cab Rack**. Exclusive angle mount cab rack. Bolts directly to truck frame. Provides up to 6" more trailer swing clearance. Great for many of today's trucks with shorter wheelbases! Specify I.D. angles. We allow +1/2" to frame width for rubber isolation spacers (included).




AIR-ACTUATED OVERLOAD SIGN BRACKET

10-4210

Includes wood sign. You supply regulated air source (hose and valve) and sign can be raised or lowered from the cab of your truck.

ENCLOSURES



ENCLOSURE CAB RACK

- 10-1150** Enclosed 68"H x 86"W
10-1151 Enclosed 68"H x 80"W

14" deep compartments provide 37 cubic feet of storage. Chain hanger included in each outside compartment. Enclosed units available with any Pro-Tech drom or cab rack. Polished body. Stainless t-locks and neoprene bulb seal keep gear dry and secure.



ENCLOSURE WITH WINDOW

- 10-1143** 68"H x 86"W
10-1153 68"H x 80"W

68" high x 86" wide enclosure cab rack with window! Three 14" deep compartments with stainless t-latches. 27" wide x 18" high window increases visibility of load. Polished body. Stainless t-locks and neoprene bulb seal keep gear dry and secure. Chain hanger included in each outside compartment.

Available with diamond plate or smooth doors



3 DOOR MODULAR ENCLOSURE

- 10-1160** 68"H x 86"W x 8"D
10-1167 68"H x 86"W x 14"D

Chain hanger included in each outside compartment. Stainless t-locks and neoprene bulb seal keep gear dry and secure. Mill finish body. With internal uprights.



CENTER ENCLOSURE

- 10-1110** 68"H x 86"W
10-1013 68"H x 70"W
10-1053 65"H x 70"W

Cab rack has 8½" deep center enclosure. Includes top shelf and chain hanger installed inside of compartment. Also available with angle mount feet.

10-1255
10-5005



CONVENTIONAL DROM CONFIGURATION

10-1255 68"H x 70"W x 30"L
10-5005 Window option (When ordering a window installed at a specific height, please measure from top of truck frame to middle of window.)

The cab rack panel is 68" high. The panel and deck are 70" wide, and they match the width of conventional cabs without sleepers. It gives a streamlined appearance and reduces wind resistance.

10-1400



STANDARD DROM CONFIGURATION

10-1250	68"H x 96"W x 30"L	10-1253	68"H x 86"W x 30"L
10-1400	68"H x 96"W x 4'L	10-1403	68"H x 86"W x 4'L
10-1600	68"H x 96"W x 6'L	10-1603	68"H x 86"W x 6'L
10-1800	68"H x 96"W x 8'L	10-1803	68"H x 86"W x 8'L
10-5005	Window option (When ordering a window installed at a specific height, please measure from top of truck frame to middle of window.)		

NOTE: Drom length is measured from forward (cab side) of cab rack uprights, to extreme rear (fifth wheel side) of deck.

10-1400
10-2000




OPTION TO DROM ENCLOSURE

10-2000 68"H x 96"W
10-2010 68"H x 86"W

14" deep enclosed drom unit provides over 50 cubic feet of storage space. Compartments are sealed with neoprene, bulb type weather seal to keep equipment clean and dry. Stainless steel, keyed latches provide security. Chain hanger included in each side compartment. Enclosures may be ordered with any Pro-Tech drom assembly. Custom units are also available!

Pro-Tech original aluminum drom siderail extrusion is designed to allow continuous splice free siderails for superior strength. Inside lower flange accepts flat hooks on straps for quick, simple load tie down. Outer flanges provide protection for marker lights, standard on all Pro-Tech drom-cab racks.



BULKHEADS

Standard features include:

- 2 x 4 and Side Kit Acceptance Channels
- Tarp Tie Bar on Front
- Chain Tie Bar on Inside
- Pre-drilled for Tarp Bow
- Rounded Top Tube for Less Wear on Tarps




96" WIDE TRAILER

15-1210 10" Turnback
15-1215 24" Turnback

102" WIDE TRAILERS

15-1225 10" Turnback
15-1230 24" Turnback



Custom units are also available for most makes of trailers.


Call for more information.

FENDERS





- 30-7320** .105 diamond plate aluminum
- 30-7322** 1/8" smooth polished aluminum
- 30-7324** .090 smooth aluminum w/ribs
- 30-7324NR** .090 smooth aluminum, non-ribbed
- 30-7327** 14 ga. polished stainless steel
- 30-7328** 14 ga. mild steel w/ribs
- 30-7328NR** 14 ga. mild steel, non-ribbed

Mounting Kit
(to mount two Half Tandem, Single Radius Fenders)
30-7484 powder coated black
30-7485 stainless steel



- 30-7330** .105 diamond plate aluminum
- 30-7332** 1/8" smooth polished aluminum
- 30-7334** .090 smooth aluminum w/ribs
- 30-7334NR** .090 smooth aluminum, non-ribbed
- 30-7337** 14 ga. polished stainless steel
- 30-7338** 14 ga. mild steel w/ribs
- 30-7338NR** 14 ga. mild steel, non-ribbed

Mounting Kit
(to mount two Full Tandem, Single Radius Fenders)
30-7486 powder coated black
30-7486S stainless steel




- 30-7350** .105 diamond plate aluminum
- 30-7352** 1/8" smooth polished aluminum
- 30-7354** .090 smooth aluminum w/ribs
- 30-7354NR** .090 smooth aluminum, non-ribbed
- 30-7357** 14 ga. polished stainless steel
- 30-7358** 14 ga. mild steel w/ribs
- 30-7358NR** 14 ga. mild steel, non-ribbed

Also available in 20" wide for light truck and special applications:

- 30-7150** .105 diamond plate aluminum
- 30-7152** 1/8" smooth polished aluminum
- 30-7157** 14 ga. polished stainless steel

Mounting Kit
(to mount two Half Circle, Single Axle Fenders)
30-7482 powder coated black
30-7482S stainless steel



QUARTER FENDER KITS

30-7319-27F

Two 27" stainless steel fenders plus brackets and hardware for Peterbilt Air Leaf and Low Air Leaf and Freightliner Air Leaf suspension. (Also 30-7319-30F with two 30" fenders)


30-7319-27P

Two 27" stainless steel fenders plus brackets and hardware to mount Peterbilt Air Trac or Air Ride applications. (Also 30-7319-30P with two 30" fenders)

30-7319-27K

Two 27" stainless steel quarter fenders plus brackets and hardware to mount Kenworth and other "clean-mount" applications. (Also 30-7319-30K with two 30" fenders)

Kits also available with half tandem stainless fenders and associated mounting hardware.



**FULL RADIUS,
SINGLE AXLE**

30-7344

- 30-7340 .105 diamond plate aluminum
- 30-7342 1/8" smooth polished aluminum
- 30-7344 .090 smooth aluminum w/ribs
- 30-7344NR .090 smooth aluminum, non-ribbed
- 30-7347 14 ga. polished stainless steel
- 30-7348 14 ga. mild steel w/ribs
- 30-7348NR 14 ga. mild steel, non-ribbed



Also available in 20" wide for light truck and special applications

- 30-7140 aluminum diamond plate
- 30-7142 smooth aluminum
- 30-7147 stainless steel

Mounting Kit

(to mount two Full Radius, Single Axle Fenders)


- 30-7482 powder coated black
- 30-7485 stainless steel



LIFT AXLE, SINGLE TIRE

- 30-7240 .105 diamond plate aluminum
- 30-7242 1/8" smooth polished aluminum
- 30-7247 14 ga. polished stainless steel

Lift-axle, single tire fenders available in 12", 14" and 16" widths.



Please specify width of fender.



FULL TANDEM, DOUBLE RADIUS



30-7360

- 30-7360 .105 diamond plate aluminum
- 30-7362 1/8" smooth polished aluminum
- 30-7364 .090 smooth aluminum w/ribs
- 30-7364NR .090 smooth aluminum, non-ribbed
- 30-7367 14 ga. polished stainless steel
- 30-7368 14 ga. mild steel w/ribs
- 30-7368NR 14 ga. mild steel, non-ribbed

Mounting Kit

(to mount two Full Tandem, Double Radius Fenders)

- 30-7488 powder coated black
- 30-7485 stainless steel

Please note: Standard mounting kits may not fit every application.



FENDER MOUNTING BRACKETS

30-7395L or R

Underside mounting bracket, black powder coat finish, left hand shown. Adjustable galvanized riser plate, stainless bolts, rubber pads and backup plates included.

30-7525

Underside single stud center fender mounting bracket. Black powder coat finish, strong, easy to mount and will fit either right or left side applications. Adjustable riser plate and hardware included.

30-7391S

Outer Fender Bracket (Also available in black powder coat finish)

30-7393S

Fender Mounting Bracket designed for use with Peterbilt Air Trac suspension. (Also available in black powder coat finish)

30-7394-50S

Universal Air Leaf Mounting Bracket in polished stainless steel. Designed to fit Freightliner Air Leaf or Peterbilt Air Leaf or Low Air Leaf. Includes all necessary washers and spacers for any application above.

30-7590

Fender Mounting Bracket, single bolt with a 7391 arm (also available in stainless steel).

ACCESSORIES



ALUMINUM DIAMOND PLATE HIDDEN MOUNT DECK COVERS**

35-5420 2' L
35-5430 3' L
35-5440 4' L
35-5450 5' L
35-5460 6' L
35-5470 7' L
35-5480 8' L
35-5490 9' L
35-5495 10' L


34" wide aluminum diamond plate deck covers with stiffeners and mounting hardware included. Also available without stiffeners.

** Not for walking

ALUMINUM GRIP STRUT DECK COVER**

35-5425 2' L
35-5435 3' L
35-5445 4' L
35-5455 5' L
35-5465 6' L

34" wide grip strut deck cover, self draining, 4-way grip, with mounting hardware.




35-5400

ALUMINUM GRATE STYLE DECK COVER**

35-5400 3' L

34" wide aluminum grate style deck cover, self draining, 4-way grip, with mounting hardware.

** Meets requirements for walk surface



35-5250

35-5260

35-5270

ALUMINUM FRAME STEPS

35-5250 12"W

35-5260 18"W

35-5270 24"W

Provide frame access with 4-way grip steps. Universal mount for simple installation on truck frame. 24"H.



CHAIN HANGERS

35-5975

Lift & Pivot Lid Chain Hanger. Pivoting lid allows access to chains from either side without removing lid. Perfect for applications with limited clearance above chain hanger.

35-5962

No lid, lockable chain hanger. With center lock bar to secure chains. A great lower cost option where limited access is a concern.



35-5950

TIRE CHAIN HANGERS

35-5950


Removable cover. Allows easy access and security for tire chains. Requires less than 12" of frame space.

35-5951

Hinged cover. Same as 35-5950, except cover is attached with stainless steel hinge to prevent loss/damage of cover.



35-5951



35-5509

LOAD LOCK CARRIERS

35-5509 2 Bar
Load Locker and Boot, vertical mount

35-5510 4 Bar
Load Locker and Boot, vertical mount

35-5514 2 Bar
Load Locker, horizontal mount

35-5515 4 Bar
Load Locker, horizontal mount

Keeps load bars available when you need them! Universal mounting for tractor or trailer installation.



35-4470



35-4480



35-4490

ALUMINUM LIGHT BARS

Frame Mounted

35-4470 2 Holes @ 5 3/4" H x 12 1/2" L

35-4480 4 Holes @ 5 3/4" H x 42 1/4" L

35-4490 6 Holes @ 5 3/4" H x 46 1/2" L



TOP OPEN
LID T-LOCK

DOUBLE SWING/
DROP-DOWN
DOOR T-LOCK

90-461022M

90-461015M

STAINLESS STEEL T-HANDLE LOCKS Replacement T-locks ship complete with keys, gasket and four zinc plated nuts for threaded male studs on back of lock.

90-461022M Top Open Lid T-Lock

5-sided t-handle lock with long, curved lock cam. For aluminum or steel top-open Pro-Tech boxes.

90-461015M Double Swing/Drop Down Door T-Lock

5-sided t-handle lock with short, wide lock cam. For aluminum or steel double-swing or drop-down door Pro-Tech boxes.

KEY CYLINDERS Key cylinders have an internal dust cover and come complete with two double bitted keys. They are marked with a "J" followed by a three digit number (i.e., J209). Order replacement cylinders/keys to match existing locks with this number.


Old style EM/CH/XT cylinders are also marked with a three-digit numerical suffix (i.e., EM-501). **Limited availability**

Note: Replacement keys only are also available. Please specify key number as above.



LOCK ROD

Replacement lock connection rods are available in 6-1/8", 7", 9", 9-1/8", 10" and 36" lengths, and feature one conical end and one end drilled for bolt connection.



NEOPRENE BULB-TYPE SEAL

Replacement Bulb Seal is available in two styles: end bulb and side bulb. These automotive quality seals feature a reinforced, u-shaped attachment piece designed to fit 1/8" thick material. To install, cut and press onto the edge of the box or door frame.

90-491000 End Bulb Seal

Normally applied directly to the edge of a Pro-Tech box.

90-491500 Side Bulb Seal

Used primarily on the door frame of a Pro-Tech aluminum box.



END BULB SEAL
90-491000



SIDE BULB SEAL
90-491500

TN: 800.525.7998
WA: 800.443.6153





As well as our line of standard products we specialize in custom jobs, which usually ship in 3-5 days upon receiving your signed approval.

Some of the more popular custom options are:

- *Stainless Steel Doors*
- *Custom Height, Width, etc.*
- *Adjustable Shelf*
- *Custom Light Configurations*
- *Custom box configurations*



10-1150 Enclosure with optional Roll-Up Shutters

- 68" T x 86" W x 14" D Compartment
- Three Roll-Up shutters for easy access into the compartments
- Two shelves in center compartment
- One chain hanger in each outside compartment
- Polished aluminum body
- Variety of options available

Heavy Duty Custom Drawer Modules

Pro-Tech has added a custom built heavy duty drawer unit to our popular drawer module line. This custom unit can be installed in your tool box, service body or anywhere else you would like and has heavy duty aluminum construction for years of trouble free use.

- 250# capacity drawer slides
- Optional tray dividers on 3" centers
- Removable drawers
- Lightweight aluminum construction
- Custom built to fit your needs
- Easy six bolt installation
- Positive lock-in drawers
- ◆ Also available:
300# drawer slides with lock-in/lock-out capability
(Drawers require tools to be removed)





Pro-Tech manufactures products in two locations to serve you. Our extensive dealer network stocks our products for your ease of purchase. Custom products available and custom inquiries are welcome.

Please call to obtain more information on our complete line of pick-up truck accessories and flatbed bodies.

P.O. Box 933 • Vancouver, WA 98666 • 1.800.443.6153
P.O. Box 700 • La Vergne, TN 37086 • 1.800.525.7998

www.protech.net • e-mail: protech@protech.net

© 2012 Pro-Tech Industries, Inc. All rights reserved.
Revised 4/12 • Graphic Design: Linea Forma

ProTech